

# PLASMA CHEMISTRY VALUES FOR THE MONKEY (MACACA MULATTA) AFTER A SUPRALETHAL DOSE OF PULSED MIXED GAMMA-NEUTRON RADIATIONS

ARMED FORCES RADIOBIOLOGY RESEARCH INSTITUTE
Defense Atomic Support Agency
Bethesda, Maryland

This report has been approved for open publication by the Department of Defense

All aspects of investigative programs involving the use of laboratory animals sponsored by DOD components are conducted according to the principles enunciated in the "Guide for Laboratory Animal Facilities and Care", prepared by the National Academy of Sciences - National Research Council.

## PLASMA CHEMISTRY VALUES FOR THE MONKEY (MACACA MULATTA) AFTER A SUPRALETHAL DOSE OF PULSED

MIXED GAMMA-NEUTRON RADIATIONS

C. L. TURBYFILL

R. E. George Commander, MSC, USN Chairman Radiation Biology Department HUGH B. MITCHELL Colonel, USAF, MC Director

ARMED FORCES RADIOBIOLOGY RESEARCH INSTITUTE
Defense Atomic Support Agency
Bethesda, Maryland

Distribution of this document is unlimited

#### ACKNOWLEDGMENT

The author acknowledges the assistance of many individuals at AFRRI who contributed to this study. In particular, W. A. Dewes and V. A. Kieffer are acknowledged for their work in chemistry and the preparation and collection of data. Recognition is also extended to D. Wise and E. L. Barron for their assistance with the surgery.

#### TABLE OF CONTENTS

																								Page
Fore	eword	(No	nte	chr	ica	.l s	um	ma	ry)	•	•		•				•		•		•		•	iii
Abst	tract	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	v
I.	Introd	luct	ion	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	1
II.	Mater	rials	s ar	nd ]	Met	tho	ds	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	1
ш.	Resul	ts	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	2
IV.	Discu	ssic	on	•	•	•	•	•	•	•	•	•	•	•	•	•	1	•	•	•	•	•	•	4
Refe	erences	s.	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		.•	•	•	•	•	9
											TA	$\mathbf{BL}$	E			المور								
Tabl	le I. F	Plas	ma	Ch	em	ist	ry	Val	ues	s fo	or (	on	tro	l aı	nd I	[rra	adia	ateo	l M	Ionl	кеу	s		
		(	Ma	cac	ca r	nul	att	a)			.•		•								•			3

### FOREWORD (Nontechnical summary)

When mammalian organs or systems are injured, chemical components of the damaged tissue are released into the blood. The presence or changes in the concentration of these components can be measured and in many instances they are specific to the injured organ or system. These changes in the chemical components of blood after irradiation have been thought to be due to increased permeability of cell membranes or to cell death.

In the present study, the concentrations of 11 constituents of the blood plasma of monkeys were determined at approximately 1 hour preirradiation and at 1, 6, and 12 hours after a 4-krad midline tissue dose of pulsed mixed gamma-neutron radiations. After irradiation significant increases occurred in the plasma concentrations of glutamic-oxalacetic transaminase, total lactic dehydrogenase, urea nitrogen, creatinine, and creatine.

Some of the constituents of plasma which were found to increase after irradiation, such as glutamic-oxalacetic transaminase and total lactic dehydrogenase, were probably from radiosensitive tissues such as the intestine, bone marrow, spleen, and lymph nodes. The increase in the plasma concentration of urea nitrogen was probably due to a release of amino acids from radiosensitive tissues and conversion to urea nitrogen by the liver. The increase in the plasma concentrations of creatinine and creatine suggests some injury to muscle tissue, not usually considered sensitive to irradiation, causing an increased rate of release and conversion of these constituents.

#### ABSTRACT

Monkeys (Macaca mulatta) were given a 4-krad midline tissue dose of pulsed mixed gamma-neutron radiations. Chemical analyses of 11 different constituents of plasma were made before irradiation and at 1, 6, and 12 hours postirradiation to evaluate the extent of radiation injury as indicated by changes in the composition of the plasma. A significant increase in the plasma concentration of glutamic-oxalacetic transaminase, total lactic dehydrogenase, creatinine, creatine, and urea nitrogen was found postirradiation. Although some of the constituents of plasma which were found to increase after irradiation were probably from radiosensitive tissue, other tissues such as muscle, not considered radiosensitive, appear to have been also injured when subjected to this dose of radiation.

#### I. INTRODUCTION

Changes in the concentrations of chemical constituents of blood after supralethal doses of radiation have been found by several investigators. 3,4,9,17 These changes could result from either cell death, altered cell permeability, or other cell dysfunction. A study of the chemical constituents of blood should assist in the identification and evaluation of the more prominent sites of radiation injury.

The objective of this study is to evaluate the extent of radiation injury indicated by changes in the blood plasma from monkeys which have received a supralethal dose of pulsed mixed gamma-neutron radiations. A dose of 4 krads was chosen for this study. At this dose, the classical central nervous system syndrome predominates <sup>16</sup> but the average survival time is sufficient to permit the detection of constituents in the blood which may be altered after several hours but indicate injury that occurred at the time of irradiation.

#### II. MATERIALS AND METHODS

Seventeen young adult monkeys (<u>Macaca mulatta</u>) of both sexes were used in this investigation. The animals ranged from 2 to 4 years in age<sup>11</sup> and weighed from 2.5 to 5.0 kg at the time of irradiation. They were conditioned and fed as previously reported. <sup>18</sup>

Each animal was surgically implanted with a femoral artery catheter.\* Following surgery the subjects were maintained in restraining chairs for a 2-week recovery period. At the end of this time they were employed either as unirradiated controls

<sup>\*</sup> Polyvinyl tubing -- .044 in. i.d., .065 in. o.d., Becton, Dickinson and Company, Rutherford, New Jersey

(6 animals) or were subjected to a 4-krad midline tissue dose (MTD) of pulsed mixed gamma-neutron radiations (11 animals). The animals were fasted for 16 hours before and until 12 hours after irradiation or sham irradiation. Water was available ad libitum before and after irradiation. Six-milliliter blood samples were collected via the femoral catheter approximately 1 hour before irradiation and at 1, 6, and 12 hours postirradiation. The same blood sampling times were used with the control animals. The blood was placed in test tubes containing sodium heparin, centrifuged, and the plasma decanted. Blood storage and analysis were in accordance with previously reported procedures. <sup>15</sup>

At the time of irradiation the animals were transported to the exposure room of the AFRRI-TRIGA reactor and positioned to receive a calculated dose of 4 krads of pulsed mixed gamma-neutron radiations. Midline tissue doses are reported. They were obtained by determining the tissue kerma, free-in-air, at the midline exposure volume, and multiplying this value by an experimentally derived factor of 0.8. For these exposures the operation of the reactor and the characteristics of the radiation field were as previously described. <sup>5,12</sup>

#### III. RESULTS

The animals were irradiated individually and received an average midline tissue dose of 3900 rads with a range of 3500 to 4300 rads.

The results of the chemical analyses of the blood plasma from the control and irradiated animals are presented in Table I.

As would be expected, no significant differences were observed between the plasma constituents of control and irradiated animals during the preirradiation period.

Table I. Plasma Chemistry Values for Control and Irradiated Monkeys (Macaca mulatta)

				†d	<.05		<.05		<.05	<,05	<.05			<.05		
		nental		S. E.*	22.5	5.1	± 261	0.5	2.3	0.48	0.53	4.3	1.8	8.0	1.0	8.0
	12 h	Experimental	4	Mean ±	120.0 ±	32.2 ±	1830 ±	7.0 ±	40.7 ±	3.01 ±	1.68 ±	173.8 ±	148.5 ±	5.6 ±	111.3 ±	34.2 ±
	1	1		ъ. *.	TH	6.5.9		0.2	دن	80.0	.07		1.1	0.1		
		Control	9	an ± S.	2 + 4.	+1	06 <del>+</del>	6.7 ± 0	0 ± 1.	0.97 ± 0	0.34 ± 0.07	0 ± 10.2	+1	3.9 + 0	8 ± 23	0 ± 1.1
				Mean	5 28.2	27.3	5 490	. 9	5 20.0			145.0	144.2		114.8	31.0
		_		† <u>a</u> ,	· 05		<.05		<.05	<,05						<.05
tion	1	Experimental	00	+ S. E.*	± 26.0	1.7	191	± 0.2	1 2.3	± 0.25	0.66 ± 0.20	± 11.6	± 1.7	+ 0.3	± 1.1	± 0.8
Postirradiation	е р	Exper		Mean	101.3	19.9	1308	8.9	27.3	1,75	99.0	159.4	147.5	4.5	114.4	35.5
Poe				S. E.*	5.3	5.4		0.2	1.5	90.0	0.05	9.7	9.0	0.1	2.5	1.5
		Control	9	Mean ± S	+1	25.7 ±	+1	6.8 +	20.0 ±	0.90 ±	0.28 ± (	+1	+1	3.7 ± 0	+1	+1
				p† Me	24,	25	510	9	20		_	145.0	144.2	es .	115.2	5 31.8
		ta1		*.	7.5			en		0.08 <.05	90	<u>د</u>		8	0	8 <.05
		Experimental	11	n ± S.	5 + 7.	1 ± 1.1	+ 72	6 ± 0.3	6 ± 1.1	1.22 ± 0.	0.30 ± 0.06	5.5	£ ± 1.2	5 ± 0.2	9 ± 1.0	8.0 +
	1 h	ğ		* Mean	38.	17.1	685	7.6	18.6	<u> </u>	÷	163.6	146.4	<u>ب</u>	112.9	36.5
		Control	9	± S.E.	+ 4.9	5.2	-+ 92	± 0.2	± 1,6	+ 0.07	₹ 0.04	+ 9.3	± 0.7	± 0.1	1.6	± 1.4
		Ŝ		Mean	23.8	24.2	463	8.9	18.8	0.88	0.25 ±	148.3	142.7	3.6	115.3	33.3
	-	nental		S. E.*	2.1	1.3	9 T	0.2	1.0	90.0	0.05	± 10.4	1.2	0.1	8.0	9.0
ation a	441011	Experimental	11	Mean ±	21.7 ±	15.7 ±	523 +	7.2 ±	15.1 ±	0.92 ±	$0.20 \pm 0.05$	170.0 ±	145.0 ±	3.9	111.6 ±	36.0 ±
Dreirradiation				*. ¤	_	6.0		87.	25	60.0	04	61	9			<del> </del>
-	1	Control	9	an ± S.	5 ± 7.7	+1	<del>1</del> 67	7.1 ± 0.	6 ± 1.	0.87 ± 0.	0.28 ± 0.	155.0 ± 10.	7 ± 0.	6 ± 0.	2 ± 1.7	0 ± 1.4
_				Mean	25.5	24.5	470	7.	18.6	•	•	155.	143.7	3.6	113.2	ıt 35.0
				Units	Sigma-Frankel units/ml	Sigma-Frankel units/ml	Berger-Broida units/ml	g/100 ml	mg/100 ml	mg/100 ml	mg/100 ml	mg/100 ml	meq/liter	meq/liter	meq/liter	Volume percent
					Sigma- unit	Sigma- unit	Berger	g/1(	mg/	mg/	mg/	mg/1	med	med	beu	Volume
es			Number of animals	Plasma constituent	ic	inase	renase	ein	uage							
Bleeding times		dn	o redu	sma con	Glutamic- Oxalacetic Transaminase	Glutamic- Pyruvíc Transamínase	Total Lactic Dehydrogenase	Total Protein	Urea Nitrogen	Creatinine	Creatine	Cholesterol	Sodium	Potassium	Chloride	Hematocrit
Blee		Group	Nun	Plas	₹ O F	ર્કે <sub>મ</sub>	To	To	Ü	ర్	Ğ	Сþ	Sod	Pot	Chi	Нет

<sup>\*</sup> Standard error of the mean

\* Probability that the two means are members of the same population, as determined by Student's "t" test. No values listed for comparisons in which p > .05.

Furthermore, after irradiation the plasma concentrations of glutamic pyruvic transaminase (GPT), total protein, cholesterol, sodium, and chloride were not statistically different from control values.

At 1 hour postirradiation a decrease in the hematocrit of the control animals was observed while the corresponding value for the irradiated animals remained relatively constant. This difference between the hematocrits of the irradiated and control animals remained evident until the 12th hour postirradiation.

The concentrations of glutamic oxalacetic transaminase (GOT), total lactic dehydrogenase (LDH), urea nitrogen, and creatinine were found to be significantly increased over the control values at the 6th and 12th hour postirradiation. Differences between the control and irradiated animals with respect to creatine and potassium were not statistically significant until the 12th hour postirradiation.

#### IV. DISCUSSION

The use of restraint and indwelling catheters in themselves resulted in the plasma concentrations of several components differing from normal values. The hematocrits of restrained catheterized monkeys were significantly less than those of monkeys maintained in regular cages. He sodium and potassium concentrations of the plasma of restrained catheterized monkeys were also less than those of unrestrained monkeys. In a preliminary investigation these changes did not occur in uncatheterized monkeys maintained in restraining chairs. Ellinwood et al. found a decrease of potassium in the plasma of dogs with catheters surgically implanted in the heart. A decreased plasma concentration of GOT and creatinine and an increased concentration of urea nitrogen were found in the restrained catheterized monkeys of

this study as compared to those previously reported on unrestrained monkeys. <sup>15</sup> The sodium, potassium, and hematocrit changes have been generally associated with surgery. The changes in GOT, creatinine, and urea nitrogen were probably due to the inactivity of the restrained animal. <sup>13</sup>

From Table I it can be noted that the hematocrits of the control animals decreased with each blood sampling while the hematocrits of irradiated animals remained relatively unchanged and significantly different from those of the control animals at 1 and 6 hours postirradiation. The former was probably the result of blood sampling since each specimen represented approximately 2 to 5 percent of the donor's total blood volume; the latter could indicate a decrease in the plasma volumes of the irradiated subjects.

A significant increase in the plasma concentration of total LDH and GOT occurred by 6 hours postirradiation. These changes at 6 hours were similar to those found by Dalrymple et al. 4 at 24 hours postirradiation when the monkeys were exposed to 1000 rads of 400-MeV protons. Highman et al. 9 found similar changes in the plasma GOT concentrations of the rat 6 hours after an 800 R x-ray exposure and attributed the increase to damaged lymphoid and other radiosensitive tissues. Hawrylewicz and Blair 7,8 and Blair, 2 using the monkey, studied the effects of gamma and proton irradiation on the serum and tissue LDH isoenzyme concentration. They found a significant increase in the M-type LDH isoenzyme after irradiation. Hori et al. 10 found significant decreases in the LDH concentrations of the spleen and thymus of mice after 600 R of x irradiation but found no change in the LDH level of liver, kidney, or testis.

It has been well established that creatinine is a waste product derived from creatine. Creatine is contained almost entirely intracellularly in muscle and is mainly bound as phosphocreatine. Though the site of the creatine to creatinine conversion has not been clearly established, it probably occurs mainly in the muscles. The significant increase of the creatinine plasma concentration by 1 hour postirradiation probably indicates that the creatine to creatinine conversion rate has increased. By 6 hours postirradiation the concentration of creatine also had increased; the increase was significant by 12 hours postirradiation. This result implies that the release rate of creatine had surpassed the conversion rate to creatinine, a condition known to occur with increased catabolism of muscle tissue. I

The predominant site of urea production is known to be the liver. The greater proportion of nitrogen released by catabolism of amino acids is through urea. When monkeys received 1000 rads of mixed gamma-neutron radiations, the free ninhydrin positive substance of plasma had increased by 12 hours postirradiation. An increased hepatic production of urea nitrogen from amino acids could be expected due to hyperaminoacidemia.

The significant increase in plasma potassium concentration by 12 hours was largely due to high values for two of the animals and the response was not uniform as shown by the large standard error.

Early injury is well documented histologically for radiosensitive tissues such as the intestine, bone marrow, spleen, and lymph nodes. These tissues were probably

<sup>\*</sup> Unpublished: Chaput, R. L. and Turbyfill, C. L., Armed Forces Radiobiology Research Institute, Bethesda, Maryland 20014

the major contributors to the increased plasma concentrations of GOT and LDH, although much of the increase in LDH could have been due to an increase in the M-type isoenzyme found largely in such tissues as skeletal muscle. The increase in the plasma concentration of urea nitrogen was probably due to a release of amino acids from radiosensitive tissues and conversion to urea nitrogen by the liver. The increase in the plasma concentrations of creatinine and creatine suggests some injury or alteration in muscle tissue causing an increased rate of release and conversion of these constituents. Although some of the constituents of plasma which were found to increase after irradiation were probably from radiosensitive tissue, other tissues such as muscle, not considered radiosensitive, appear to have been injured when subjected to a 4-krad dose of irradiation.

#### REFERENCES

- 1. Best, C. H. and Taylor, N. B. The Physiological Basis of Medical Practice. Baltimore, Maryland, The Williams and Wilkins Company, 1961.
- 2. Blair, W. H. Effect of gamma irradiation on serum isoenzyme systems.

  Chicago, Illinois, IIT Research Institute Technology Center Final Report No. IITRI-L6036-5 (USAF School of Aerospace Medicine Contract), 1967.
- 3. Dalrymple, G. V., Lindsay, I. R., Ghidoni, J. J., Kundel, H. L., Still, E. T., Jacobs, R. and Morgan, I. L. Some effects of whole-body 32-Mev proton irradiations on primates. Radiation Res. 28:406-433, 1966.
- 4. Dalrymple, G. V., Lindsay, I. R., Ghidoni, J. J., Mitchell, J. C. and Morgan, I. L. Some effects of 400-Mev protons on primates. Radiation Res. 28:507-528, 1966.
- 5. Dowling, J. H. Experimental defermination of dose for the monkey in a reactor pulse environment. Bethesda, Maryland, Armed Forces Radiobiology Research Institute Scientific Report SR66-3, 1966.
- 6. Ellinwood, L. E., Wilson, J. E. and Coon, J. M. Release of potassium from the X-irradiated mammalian heart. Proc. Soc. Exptl. Biol. Med. 94:129-133, 1957.
- 7. Hawrylewicz, E. J. and Blair, W. H. Effect of gamma and proton irradiation on lactic dehydrogenase isoenzymes. Radiation Res. 28:538-547, 1966.
- 8. Hawrylewicz, E. J. and Blair, W. H. Enzyme-isoenzyme measure of radiation exposure. Aerospace Medicine 38:30-34, 1967.
- 9. Highman, B., Stout, D. A. and Hanks, A. R. Effect of regional shielding on plasma enzyme changes in rats after 800 R X-irradiation. Proc. Soc. Exptl. Biol. Med. 129:857-860, 1968.
- 10. Hori, Y., Takamori, Y. and Nishio, K. The effect of X-irradiation on the lactate dehydrogenase level in plasma and in various organs of mice. Radiation Res. 34:411-420, 1968.
- 11. Hurme, V. O. Estimation of monkey age by dental formula. Ann. N. Y. Acad. Sci. 85:795-799, 1960.
- 12. Pitchford, T. L. Beagle incapacitation and survival time after pulsed mixed gamma-neutron irradiation. Bethesda, Maryland, Armed Forces Radiobiology Research Institute Scientific Report SR68-24, 1968.

- 13. Robinson, F. R., Gisler, D. B. and Dixon, D. F., Jr. Factors influencing 'normal' SGO-T levels in the Rhesus monkey. Lab. Animal Care 14:275-282, 1964.
- 14. Stanley, R. E. and Cramer, M. B. Hematology of the monkey (<u>Macaca mulatta</u>). Bethesda, Maryland, Armed Forces Radiobiology Research Institute Scientific Report SR66-1, 1966.
- 15. Turbyfill, C. L., Cramer, M. B., Dewes, W. A. and Huguley, J. W., III.

  Serum and cerebral spinal fluid chemistry values for the monkey (<u>Macaca mulatta</u>). Bethesda, Maryland, Armed Forces Radiobiology Research Institute Technical Note TN68-10, 1968.
- 16. Turbyfill, C. L., Pitchford, T. L. and Cramer, M. B. Monkey (<u>Macaca mulatta</u>) survival times after pulsed gamma-neutron irradiation. Bethesda, Maryland, Armed Forces Radiobiology Research Institute Scientific Report SR68-5, 1968.
- 17. Winkler, C. and Paschke, G. Protein content and composition of rat serum as related to amount of whole-body X-irradiation. Radiation Res. 5:156-161, 1956.
- 18. Wise, D. and Turbyfill, C. L. The acute mortality response of monkeys (Macaca mulatta) to pulsed mixed gamma-neutron radiations. Bethesda, Maryland, Armed Forces Radiobiology Research Institute Scientific Report SR68-17, 1968.

#### DISTRIBUTION LIST

#### AIR FORCE

The Surgeon General, U.S. Department of the Air Force, Washington, D. C. 20333 (1)

Executive Officer, Director of Professional Services, Office of the Surgeon General, Hq. USAF (AFMSPA) T-8, Washington, D. C. 20333 (1)

Headquarters, U.S. Air Force (AFMSPAB), Washington, D. C. 20333 (1)

Chief, Weapons and Weapons Effects Division, Hq. RTD (RTTW), Bolling AFB, Washington, D. C. 20332 (1)

Office of the Command Surgeon (ADCSG), Hq. ADC, USAF, Ent AFB, Colorado 80912 (1)

Commander, 6571st Aeromedical Research Laboratory, Holloman AFB, New Mexico 88330 (2)

Air Force Weapons Laboratory, ATTN: WLIL (1), ATTN: WLRB-2 (1), Kirtland AFB, New Mexico 87117 (2)

Chief, Nuclear Medicine Department, P. O. Box 5088, USAF Hospital Wright-Patterson, Wright-Patterson AFB, Ohio 45433 (1)

USAFSAM (SMBR), ATTN: Chief, Radiobiology Branch, Brooks AFB, Texas 78235 (1)

#### ARMY

The Surgeon General, U. S. Department of the Army, Washington, D. C. 20315 (1)

Surgeon General, ATTN: MEDDH-N, U. S. Department of the Army, Washington, D. C. 20315 (1)

USACDC CSSG, Doctrine Division, Fort Lee, Virginia 23801 (1)

Commanding Officer, USACDC CBR Agency, Fort McClellan, Alabama 36201 (1)

Commanding Officer, U. S. Army Combat Developments Command, Institute of Nuclear Studies, Fort Bliss, Texas

CG, USCONARC, ATTN: ATUTR-TNG (NBC), Fort Monroe, Virginia 23351 (1)

Commanding Officer, Harry Diamond Laboratories, ATTN: Nuclear Vulnerability Branch, Washington, D. C. 20438 (1)

Nuclear Branch AMCRD-DN-RE, U. S. Army Materiel Command, Washington, D. C. 20315 (1)

Commanding Officer, U. S. Army Medical Research Laboratory, Fort Knox, Kentucky 40121 (1)

Commanding Officer, USA Nuclear Medical Research Detachment, Europe, APO New York, New York 09180 (2) Chief of Research and Development, ATTN: Nuclear, Chemical and Biological Division, U. S. Department of the Army, Washington, D. C. 20310 (1)

Army Research Office, ATTN: Chief, Scientific Analysis Branch, Life Sciences Division, 3045 Columbia Pike, Arlington, Virginia 22204 (1)

Division of Nuclear Medicine, Walter Reed Army Institute of Research, Walter Reed Army Medical Center, Washington, D. C. 20012 (5)

Commanding Officer, U. S. Army Environmental Hygiene Agency, ATTN: USAEHA-RP, Edgewood Arsenal, Maryland 21010 (1)

Commandant, U. S. Army Medical Field Service School, ATTN: MEDEW - ZNW, Fort Sam Houston, Texas 78234 (1)

#### NAVY

Chief, Bureau of Medicinc and Surgery, U. S. Navy Department, Washington, D. C. 20390 (1)

Chief, Bureau of Medicine and Surgery, ATTN: Code 71, U. S. Navy Department, Washington, D. C. 20390 (1)

Commanding Officer, Naval Aerospace Medical Institute, Naval Aviation Medical Center, ATTN: Director of Research, Pensacola, Florida 32512 (3)

Commanding Officer, Nuclear Weapons Training Center, Atlantic, Nuclear Warfare Department, Norfolk, Virginia 23511 (1)

Commanding Officer, Nuclear Weapons Training Center, Pacific, U. S. Naval Air Station, North Island, San Diego, California 92135 (1)

Director, Biological Sciences Division, Office of Naval Research, Washington, D. C. 20360 (1)

Commanding Officer, U. S. Naval Hospital, ATTN: Director, REEL, National Naval Medical Center, Bethesda, Maryland 20014 (1)

Head, Animal Behavioral Sciences Branch, Naval Aerospace Medical Institute, Naval Aerospace Medical Center, Pensacola, Florida 32512, ATTN: Dr. John S. Thach, Jr. (1)

#### D. O. D.

- Director, Defense Atomic Support Agency, Washington, D. C. 20305 (1)
- Director, Defense Atomic Support Agency, ATTN: DDST, Washington, D. C. 20305 (1)
- Director, Defense Atomic Support Agency, ATTN: Chief, Medical Directorate, Washington, D. C. 20305 (4)
- Director, Defense Atomic Support Agency, ATTN: Chief, Radiation Directorate, Washington, D. C. 20305 (1)
- Director, Defense Atomic Support Agency, ATTN: Technical Library, Washington, D. C. 20305 (2)
- Commander, Field Command, Defense Atomic Support Agency, ATTN: FC Technical Library, Sandia Base, Albuquerque, New Mexico 87115 (1)
- Commander, Headquarters Field Command, Defense Atomic Support Agency, ATTN: FCTG8, Sandia Base, Albuquerque, New Mexico 87115 (2)
- Director, Armed Forces Institute of Pathology, Washington, D. C. 20305 (1)
- Administrator, Defense Documentation Center, Cameron Station, Bldg. 5, Alexandria, Virginia 22314 (20)

#### OTHER GOVERNMENT

- U.S. Atomic Energy Commission, Headquarters Library, Reports Section, Mail Station G-17, Washington, D.C. 20545 (1)
- U. S. Atomic Energy Commission, Division of Biology and Medicine, Washington, D. C. 20545 (1)
- U. S. Atomic Energy Commission, Bethesda Technical Library, 7920 Norfolk Avenue, Bethesda, Maryland 20014 (1) National Aeronautics and Space Administration, ATTN: Lt. Col. Charles M. Barnes, USAF, DB-3, MSC, Houston, Texas 77058 (1)
- National Bureau of Standards, ATTN: Chief, Radiation Physics Division, Washington, D. C. 20234 (1)
- U.S. Public Health Service, Deputy Chief, Division of Radiological Health, Washington, D. C. 20201 (1)
- U. S. Public Health Service, Radiological Health Laboratory, ATTN: Library, 1901 Chapman Avenue, Rockville, Maryland 20852 (1)
- U. S. Public Health Service, Northeastern Radiological Health Laboratory, 109 Holton Street, Winchester, Massachusetts 01890 (1)
- U. S. Public Health Service, Southwestern Radiological Health Laboratory, P. O. Box 684, Las Vegas, Nevada 89101 (1)
- U. S. Public Health Service, National Center for Radiological Health, Information Office, Room 3, Twinbrook Laboratory, RBE Program, 1901 Chapman Avenue, Rockville, Maryland 20852 (1)

#### OTHER

- Argonne National Laboratory, Library Services Department, Report Section Bldg. 203, RM-CE-125, 9700 South Cass Avenue, Argonne, Illinois 60440 (1)
- Dr. Donald G. Baker, Radiobiology Department, Zellerbach Saroni Tumor Institute, 1600 Divisadero Street, San Francisco, California 94115 (1)
- Brookhaven National Laboratory, Information Division, ATTN: Research Library, Upton, Long Island, New York 11973 (2)
- Dr. J. S. Burkle, Director of Nuclear Medicine, York Hospital, York, Pennsylvania 17403 (1)
- S. C. Bushong, Department of Radiology, Baylor University College of Medicine, Houston, Texas 77024 (1)
- University of California, Lawrence Radiation Laboratory, Library, Bldg. 50, Room 134, Berkeley, Calif. 94720 (1) Director, Radiobiology Laboratory, University of California, Davis, California 95616 (1)
- University of California, Lawrence Radiation Laboratory, Technical Information Division Library L-3, P. O. Box 808, Livermore, California 94551 (2)
- University of California, Laboratory of Nuclear Medicine and Radiation Biology, Library, 900 Veteran Avenue, Los Angeles, California 90024 (1)
- Dr. C. Jelleff Carr, Director, Life Sciences Research Office, Federation of American Societies for Experimental Biology, 9650 Rockville Pike, Bethesda, Maryland 20014 (1)
- Director, Collaborative Radiological Health Laboratory, Colorado State University, Fort Collins, Colorado 80521 (1)

  Dr. L. W. Davis, Radiology Department, University of Pennsylvania, 3400 Spruce Street, Philadelphia, Po. 19104 (1)
- Dr. L. W. Davis, Radiology Department, University of Pennsylvania, 3400 Spruce Street, Philadelphia, Pa. 19104 (1) Professor Merril Eisenbud, New York University, Tuxedo, New York 10987 (1)
- Dr. T. C. Evans, Radiation Research Laboratory, College of Medicine, University of Iowa, Iowa City, Iowa 52240 (1) Dr. Arnold Feldman, Institute of Radiology, School of Medicine, Washington University, 510 South Kingshighway,
- St. Louis, Missouri 63110 (1) Mr. Orin Gelderloos, Department of Biological Sciences, Northwestern University, Evanston, Illinois 60201 (1)
- General Dynamics/Fort Worth, ATTN: Librarian, P. O. Box 748, Fort Worth, Texas 76101 (1) Gulf General Atomic Incorporated, ATTN: Library, P. O. Box 608, San Diego, California 92112 (1)
- Hazleton Nuclear Science Corporation, ATTN: Library, 4062 Fabian Way, Palo Alto, California 94303 (1)
- IIT Research Institute, ATTN: Document Library, 10 West 35th Street, Chicago, Illinois 60616 (1)

#### OTHER (continued)

- Johns Hopkins University, Applied Physics Laboratory, ATTN: Document Library, 8621 Georgia Avenue, Silver Spring, Maryland 20910 (1)
- Dr. R. F. Kallman, Department of Radiology, Stanford University, Palo Alto, California 94305 (1)
- Dr. L. S. Kelly, Donner Laboratory, University of California at Berkeley, Berkeley, California 94720 (1)
- Los Alamos Scientific Laboratory, ATTN: Report Librarian, P. O. Box 1663, Los Alamos, New Mexico 87544 (1)
- Director, Nuclear Science Center, Louisiana State University, Baton Rouge, Louisiana 70803 (2)
- Lovelace Foundation for Medical Education & Research, Document Library, 5200 Gibson Boulevard, S. E., Albuquerque, New Mexico 87108 (1)
- Dr. Ross A. McFarland, Guggenheim Professor of Aerospace Health & Safety, Harvard School of Public Health, 665 Huntington Avenue, Boston, Massachusetts 02115 (1)
- Dr. J. I. Marcum, Rand Corporation, 1700 Main Street, Santa Monica; California 90401 (1)
- Massachusetts Institute of Technology, M.1.T. Libraries, Technical Reports, Room 14 E-210, Cambridge, Massachusetts 02139 (1)
- Dr. Charles W. Mays, Physics Group Leader, Radiobiology Division, University of Utah, Salt Lake City, Utah 84112 (1)
- Dr. B. D. Newsom, Colony Oaks, Apt. 32, 18100 Nassau Bay Drive, Nassau Bay, Texas 77058 (1)
- Ohio State University, Nuclear Reactor Laboratory, 1298 Kinnear Road, Columbus, Ohio 43212 (1)
- Dr. Harvey M. Patt, Laboratory of Radiobiology, University of California, San Francisco Medical Center, San Francisco, California 94122 (1)
- Purdue University, Nuclear Engineering Library, Lafayette, Indiana 47907 (1)
- Dr. S. M. Reichard, Director, Division of Radiobiology, Medical College of Georgia, Augusta, Georgia 30902 (1)
- University of Rochester, Atomic Energy Project Library, P. O. Box 287, Station 3, Rochester, New York 14620 (1)
- Dr. H. H. Rossi, 630 West 168th Street, New York, New York 10032 (1)
- Dr. Eugene L. Saenger, Director, Radioisotope Laboratory, Cincinnati General Hospital, Cincinnati, Ohio 45229 (1) Sandia Corporation Library, P. O. Box 5800, Albuquerque, New Mexico 87115 (1)
- Scientific Committee on the Effects of Atomic Radiation, ATTN: Library, United Nations Room 3267, United Nations Plaza, New York, New York 10017 (1)
- Scope Publications, Franklin Station, P. O. Box 7407, Washington, D. C. 20004 (1)
- University of Southern California, Nuclear Physics Laboratory, University Park, Los Angeles, California 90007 (1)
- Dr. Arthur R. Tamplin, Biophysicist, Information Integration Group, University of California, Lawrence Radiation Laboratory, L-612, Livermore, California 94550 (1)
- Radiation Biology Laboratory, Texas Engineering Experiment Station, Texas A. & M. University, College Station, Texas 77840 (2)
- Texas Nuclear Corporation, ATTN: Director of Research, Box 9267 Allandale Station, Austin, Texas 78756 (1) Western Reserve University, Department of Radiology, Division of Radiation Biology, Cleveland, Ohio 44106 (1)
- Mr. Lionel Zamore, 601 Brightwater Court, Brooklyn, New York 11235 (1)

#### FOREIGN

- International Atomic Energy Agency, Kaerntnerring 11, Vienna I. 1010, Austria (1)
- European Atomic Energy Community, C.E.E.A., Library, 51 rue Belliard, Brussels 4, Belgium (1)
- Dr. L. G. Lajtha, Paterson Laboratories, Christie Hospital and Holt Radium Institute, Manchester, England (1)
- Dr. L. F. Lamerton, Biophysics Department, Institute of Cancer Research, Surrey Branch, Belmont, Sutton, Surrey, England (1)
- National Lending Library for Science and Technology, Boston Spa, Yorkshire, England (1)
- Directorate of Medical and Health Services, FAF (Federal Armed Forces), Bonn, Ermekeilstr. 27, West Germany (1) Abteilung fur Strahlenbiologie im Institut fur Biophysik der Universitat Bonn, 53 Bonn-Venusberg, Annaberger Weg 15, Federal Republic of Germany (2)
- Prof. Dr. H. Langendorff, Direktor des Radiologischen Instituts der Universitat, 78 Freiburg im Breisgau, Albertstrasse 23, Germany (1)
- Dr. Helmut Mitschrich, Academie des Sanitaets-und Gesundheits, Weseus BW, Spezialstab ATV, 8 Muenchen Schwere-Reiterstr. 4, Germany (2)
- Prof. Dr. F. Wachsmann, Gesellschaft fur Strahlenforschung m.b.H., 8042 Neuherberg bei Muenchen, Institut fur Strahlenschutz, Ingolstadter Landstrasse 1, Muenchen, Germany (1)
- Dr. M. Feldman, Section of Cell Biology, The Weizmann Institute of Science, Rehovoth, Israel (1)
- Dr. G. W. Barendsen, Radiobiological Institute TNO, Rijswijk, Netherlands (1)
- Dr. L. M. van Putten, Radiobiological Institute TNO, 151 Lance Kleiweg, Rijswijk 2 H., Netherlands (1)
- Puerto Rico Nuclear Center, ATTN: Reading Room, College Station, Mayaguez, Puerto Rico 00708 (2)
- Dr. H. Cottier, Pathological Institut der Universitat, Bern, Switzerland (1)

#### UNCLASSIFIED

Security Classification

DOCUMENT COL	NTROL DATA - R&I	)					
(Security classification of title, body of abstract and indexing	ng annotation must be en	ered when t	The state of the s				
1. ORIGINATING ACTIVITY (Corporate author)	-4:440	2a. REPOR	RT SECURITY CLASSIFICATION				
Armed Forces Radiobiology Research Ins	stitute	UNC	CLASSIFIED				
Defense Atomic Support Agency		2 b GROUP	N/A				
Bethesda, Maryland 20014			2.7, 2.2				
3. REPORT TITLE  DIAGMA CHEMICTEN VALUES EOD THE	D NACONTICION (NACA)	0 A 0 A 1 A					
PLASMA CHEMISTRY VALUES FOR THE							
SUPRALETHAL DOSE OF PULSED MI	XED GAMMA-N	EUTRO	N RADIATIONS				
4. DESCRIPTIVE NOTES (Type of report and inclusive dates)	<u> </u>						
5. AUTHOR(S) (Last name, first name, initial)							
Turbyfill, C. L.							
1412, 0. 2.							
6. REPORT DATE	7a. TOTAL NO. OF P	AGES	7b. NO. OF REFS				
December 1969	16		18				
8a. CONTRACT OR GRANT NO.	9 a. ORIGINATOR'S RE	PORT NUM	BER(S)				
	A EDDI CDA	2.00					
b. PROJECT NO.	AFRRI SR69-23						
D MD 2 0024							
e. R MD 3 9034	9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)						
d.							
10. A VA IL ABILITY/LIMITATION NOTICES							
Distribution of this document is unlimited	i						
			2				
11. SUPPLEMENTARY NOTES	12. SPONSORING MILI	LITARY ACTIVITY					
	Defense Atomic Support Agency						
	Washington,	D. C.	20305				
13. ABSTRACT	A						

Monkeys (Macaca mulatta) were given a 4-krad midline tissue dose of pulsed mixed gamma-neutron radiations. Chemical analyses of 11 different constituents of plasma were made before irradiation and at 1, 6, and 12 hours postirradiation to evaluate the extent of radiation injury as indicated by changes in the composition of the plasma. A significant increase in the plasma concentration of glutamic-oxalacetic transaminase, total lactic dehydrogenase, creatinine, creatine, and urea nitrogen was found postirradiation. Although some of the constituents of plasma which were found to increase after irradiation were probably from radiosensitive tissue, other tissues such as muscle, not considered radiosensitive, appear to have been also injured when subjected to this dose of radiation.

LIN	IK A	LIN	KB	LINK C		
ROLE	wτ	ROLE	WT	ROLE	ψŢ	
		!				
		ŧ				
		İ				
		1				
ŀ		l i				
1						
				1		
1	1			1		
		ROLE WT	LINK A LIN		LINK A LINK B LIN	

- 1. ORIGINATING ACTIVITY: Enter the name and address of the contractor, subcontractor, grantee, Department of Defense activity or other organization (corporate author) issuing the report.
- 2a. REPORT SECURITY CLASSIFICATION: Enter the overall security classification of the report. Indicate whether "Restricted Data" is included. Marking is to be in accordance with appropriate security regulations.
- 2b. GROUP: Automatic downgrading is specified in DoD Directive 5200.10 and Armed Forces Industrial Manual. Enter the group number. Also, when applicable, show that optional markings have been used for Group 3 and Group 4 as author-
- 3. REPORT TITLE: Enter the complete report title in all cspital letters. Titles in all cases should be unclassified. If a meaningful title cannot be selected without classification, show title classification in all capitals in parenthesis immediately following the title.
- 4. DESCRIPTIVE NOTES: If appropriate, enter the type of report, e.g., interim, progress, summary, snnual, or final. Give the inclusive dates when a specific reporting period is covered.
- 5. AUTHOR(S): Enter the name(s) of author(s) sa shown on or in the report. Enter last name, first name, middle initial. If military, show rank and branch of service. The name of the principal author is an absolute minimum requirement.
- 6. REPORT DATE: Enter the date of the report as day, month, year, or month, year. If more than one date appears on the report, use date of publication.
- 7a. TOTAL NUMBER OF PAGES: The total page count should follow normal pagination procedures, i.e., enter the number of pages containing information.
- 7b. NUMBER OF REFERENCES: Enter the total number of references cited in the report.
- 8a. CONTRACT OR GRANT NUMBER: If appropriate, enter the applicable number of the contract or grant under which the report was written.
- 8b, 8c, & 8d. PROJECT NUMBER: Enter the appropriate military department identification, such as project number, subproject number, system numbers, task number, etc.
- 9a. ORIGINATOR'S REPORT NUMBER(S): Enter the official report number by which the document will be identified and controlled by the originating activity. This number must be unique to this report.
- 9b. OTHER REPORT NUMBER(S): If the report has been assigned any other report numbers (either by the originator or by the sponsor), also enter this number(s).

- 10. AVAILABILITY/LIMITATION NOTICES: Enter any limitations on further dissemination of the report, other than those imposed by security classification, using standard statements such as:
  - (1) "Qualified requesters may obtain copies of this report from DDC."
  - (2) "Foreign announcement and dissemination of this report by DDC is not authorized.'
  - (3) "U. S. Government agencies may obtain copies of this report directly from DDC. Other qualified DDC users shall request through
  - (4) "U. S. military agencies may obtain copies of this report directly from DDC. Other qualified users shall request through
  - (5) "All distribution of this report is controlled. Qualified DDC users shall request through

If the report has been furnished to the Office of Technical Services, Department of Commerce, for sale to the public, indicate this fact and enter the price, if known.

- 11. SUPPLEMENTARY NOTES: Use for additional explanatory notes.
- 12. SPONSORING MILITARY ACTIVITY: Enter the name of the departmental project office or laboratory sponsoring (paying for) the research and development. Include address.
- 13. ABSTRACT: Enter an abstract giving a brief and factual summary of the document indicative of the report, even though it may also appear elsewhere in the body of the technical report. If additional space is required, a continuation sheet shall be attached.

It is highly desirable that the abstract of classified reports be unclassified. Each paragraph of the abstract shall end with an indication of the military security classification of the information in the paragraph, represented as (TS), (S). (C), or (U).

There is no limitation on the length of the abstract. However, the suggested length is from 150 to 225 words.

14. KEY WORDS: Key words are technically meaningful terms or short phrases that characterize a report and may be used as index entries for cataloging the report. Key words must be selected so that no security classification is required. Idenfiers, such as equipment model designation, trade name, military project code name, geographic location, may be used as key words but will be followed by an indication of technical context. The assignment of links, rules, and weights is optional.